



# **An Improved Method of Brushless DC Motors with Torque Constant Estimation for Home Appliances**

Ramanathan, K.S.S.Prasad

Dept. of EEE, Bharath University, Chennai, Tamil Nadu, India

Assistant Professor, Dept. of EEE, Bharath University, Chennai, Tamil Nadu, India

**ABSTRACT:** The use of brushless dc motors is widely increasing in home appliances, military applications, and various other industries due to their high power-to-volume ratio, simple structure, high efficiency, and low cost. Comparing to the permanent-magnet synchronous machine, the BLDCM has higher power/weight and higher torque/current ratio. For proper commutation of the phase currents, the rotor position must be obtained with position devices. However, there are some constraints to installing position sensors to BLDCMs. These constraints include severe driving environments, cost burden, drive volume, and reliability. Many sensor less control algorithms have been studied to control BLDCMs without rotor position sensors. categories of sensor less control algorithms are the measurement of the back electromotive force (EMF) back-EMF integration flux estimation, and freewheeling current detection. The back-EMF-sensing methods which are classified under terminal voltage sensing and the detection of the third harmonic of the back EMF [6]–[8] have both been studied. The method of terminal voltage sensing uses the zero-crossing point (ZCP) of the back EMF as a position-detecting signal. Since the back EMF is zero at standstill and is proportional to the rotor speed, it is not easy to detect the ZCP at low speed. Another method using the third harmonic of the back EMF can be implemented in a wider speed range than the terminal-voltage sensing method. However, this method requires the neutral point of the stator windings which is not usually provided by manufacturers. Also, these two methods require external hardware circuits for position detection. The back-EMF integration method extracts the rotor position by integrating the back EMF of the open phase. The integration starts at the ZCP of the back EMF, and the commutation is performed when the integration result reaches a preset fixed threshold voltage. This method has good performance at high speeds, but an error can be accumulated at low speeds due to the integrating operation. Another integration method using both back-EMF integration and a phase-locked loop detects the commutation point by keeping the integration results open-phase Voltage at zero.[3-4] However, the terminal voltage of the open phase is distorted by the freewheeling currents, and a position error occurs at high speeds and under heavy loads. The integration method of the third harmonic of the back

## **I. INTRODUCTION**

The use of brushless dc motors (BLDCMs) is widely increasing in home appliances, military applications, and various other industries due to their high power-to-volume ratio, simple structure, high efficiency, and low cost. Comparing to the permanent-magnet synchronous machine, the BLDCM has higher power/weight and higher torque/current ratio. For proper commutation of the phase currents, the rotor position must be obtained with position devices. However, there are some constraints to installing position sensors to BLDCMs.[1-2] These constraints include severe driving environments; cost burden, drive volume, and reliability. Many sensor less control algorithms have been studied to control BLDCMs without rotor position sensors. categories of sensor less control algorithms are the measurement of the back electromotive force (EMF) back-

EMF integration flux estimation, and freewheeling current detection. The back-EMF-sensing methods which are classified under terminal voltage sensing and the detection of the third harmonic of the back EMF [6]–[8] have both been studied. The method of terminal voltage sensing uses the zero-crossing point (ZCP) of the back EMF as a position-detecting signal. Since the back EMF is zero at standstill and is proportional to the rotor speed, it is not easy to detect the ZCP at low speed. Another method using the third harmonic of the back EMF can be implemented in a wider speed range than the terminal-voltage sensing method. However, this method requires the neutral point of the stator windings which is not usually provided by manufacturers. Also, these two methods require external hardware circuits for position detection. The back-EMF integration method extracts the rotor position by integrating the back EMF of the open phase. The integration starts at the ZCP of the back EMF, and the commutation is performed when the integration result reaches a preset fixed threshold voltage. This method has good performance at high speeds, but an error can be accumulated at low speeds due to the integrating operation. Another integration method using both back-EMF integration and a phase-locked loop detects the commutation point by keeping the integration results open-phase Voltage at zero.[3-4] However, the terminal voltage of the open phase is distorted by the freewheeling currents, and a position error occurs at high speeds and under heavy loads. The integration method of the third harmonic of the back




# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 7, July 2015

EMF can solve these problems and has good performance at high speeds, but an additional circuit is required. The flux linkage estimation method uses measured voltages and currents for calculating the flux linkage. The position correction and estimation are obtained by using the estimated flux linkage. However, this method has an accumulated estimation error at low speeds because of a large integration time period. The freewheeling current method estimates the rotor position by using the freewheeling currents of the open phase. The ZCP of the freewheeling current is in the middle of the commutation point. However, for implementation of this method, six comparators have to be installed to detect the freewheeling currents, and six isolated power sources are required for the reference signal of each comparator. The G-function method estimates the rotor position using a speed-independent flux linkage function.[5-7] This method has a wide operating speed range and does not require an external hardware circuit. However, because of the pulse width modulation (PWM) switching during the

## II.BLOCK DIAGRAM



## III.LITERATURE SURVEY

### 3.1 Introduction

A new sensor less control algorithm for brushless dc motors (BLDCMs) is proposed in this paper. The torque constant of a BLDCM is used as a reference signal for position detection because it is constant during the entire speed range and can be estimated by calculating the ratio of the back electromotive force (EMF) to the rotor speed. By using both a disturbance observer and the torque constant estimation error, the rotor speed can be obtained. The back EMF can be easily obtained from the voltage equation of the BLDCM. The estimated back EMF decreases simultaneously with the estimated torque constant at the commutation point. By using this phenomenon, the commutation of the phase currents can be done automatically at the drop point of the estimated torque constant. Unlike conventional back-EMF-based methods, the proposed method provides highly accurate sensor less operation even under low speeds because only the drop of the torque constant is used for position detection and current commutation. Therefore, the position accuracy is not affected by the electric parameter errors of the BLDCM. Also, this algorithm does not require an additional hardware circuit for position detection. The validity of the proposed algorithm is verified through several experiments.[8]

### 3.2. Salient Features of the System

1. Multiple applications which is used to achieve the automatic.
2. Compact.
3. Low power consumption and low cost.

## IV. REQUIREMENTS

## International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 7, July 2015

In this section we present an overview on the basic requirements of the monitoring system outlining the security requirements at the end of the section.

**MICROCONTROLLER**-the microcontroller has on chip peripheral device. These on chip peripheral make it possible to have single-chip microcomputer system. this is called microcontroller.

- Programmable code protection
- Power saving Sleep mode




Fig 3.1 Pin Diagram

# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 7, July 2015

## V. POWER SUPPLY

Power supply is a reference to a source of electrical power. A device or system that supplies electrical or other types of energy to an output load or group of loads is called a power supply unit or PSU. The term is most commonly applied to electrical energy supplies, less often to mechanical ones, and rarely to others




Fig 4.1

A 230v, 50Hz Single phase AC power supply is given to a step down transformer to get 12v supply. This voltage is converted to DC voltage using a Bridge Rectifier. The converted pulsating DC voltage is filtered by a 2200uf capacitor and then given to 7805 voltage regulator to obtain constant 5v supply. This 5v supply is given to all the components in the circuit. A RC time constant circuit is added to discharge all the capacitors quickly. To ensure the power supply a LED is connected for indication purpose.

## VI. BRIDGE RECTIFIER

A bridge rectifier makes use of four diodes in a bridge arrangement to achieve full-wave rectification. This is a widely used configuration, both with individual diodes wired as shown and with single component bridges where the diode bridge is wired internally.




Fig 5.1 wave form and structural diagram





# International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 7, July 2015

The implemented system is based on home application, military applications and various other industries. The human thoughts are designed & they implemented, which derived from the human thoughts. All Wright, keep this theory in mind, as like the same concept here we implementing. Here we using temperature sensor, according to the temperature sensor here we controlling the brushless DC motor via electronic speed control. So these technologies are useful for industrial orient. Our result is showing in wave form ,

## IX. CONCLUSION

The hardware and software design of an embedded monitoring system for real time applications is presented in this paper. Vibration signals have been analyzed to detect the mechanical faults. The implementations of analysis technique in time and frequency domain are given. The proposed system imbalance detection technique is verified with different level of severity.

## REFERENCES

- [1] W. S. Im, J. P. Kim, J. M. Kim, and K. R. Baek, "Torque maximization control of 3-phase BLDC motors in the high speed region," *J. Power Electron.*, vol. 10, no. 6, pp. 717–723, Jun. 2010.
- [2] Subha Palaneeswari M., Abraham Sam Rajan P.M., Silambanan S., Jothimalar. "Blood lead in end-stage renal disease (ESRD) patients who were on maintenance haemodialysis", *Journal of Clinical and Diagnostic Research*, ISSN : 0973 - 709X, 6(10) (2012) pp.1633-1635.
- [3] Sharmila S., Rebecca L.J., Saduzzaman M., "Effect of plant extracts on the treatment of paint industry effluent", *International Journal of Pharma and Bio Sciences*, ISSN : 0975-6299, 4(3) (2013) pp.B678-B686.
- [4] P. Pillay and R. Krishnan, "Application characteristics of permanent magnet synchronous and brushless DC motors for servo drives," *IEEE Trans. Ind. Appl.*, vol. 27, no. 5, pp. 986–996, Sep./Oct. 1991.
- [5] Jeyanthi Rebecca L., Dhanalakshmi V., Sharmila S., "Effect of the extract of *Ulva* sp on pathogenic microorganisms", *Journal of Chemical and Pharmaceutical Research*, ISSN : 0975 – 7384 , 4(11) (2012) pp.4875-4878.
- [6] Sharmila D., Saravanan S., "Efficacy of lead on germination growth and morphological studies of Horse Gram (*Dolichos biflorus* Linn)", *Journal of Chemical and Pharmaceutical Research*, ISSN : 0975 – 7384 , 4(11) (2012) pp.4894-4896.
- [7] Saduzaman M., Sharmila S., Jeyanthi Rebecca L., "Efficacy of leaf extract of *Moringa oleifera* in treating domestic effluent", *Journal of Chemical and Pharmaceutical Research*, ISSN : 0975 – 7384, 5(2) (2013) pp.139-143.
- [8] K. Iizuka, H. Uzuhashi, M. Kano, T. Endo, and K. Mohri, "Microcomputer control for sensor less brushless motor," *IEEE Trans. Ind. Appl.*, vol. IA-21, no. 3, pp. 595–601, May 1985.
- [9] Premkumar, S., Ramu, G., Gunasekaran, S., Baskar, D., "Solar industrial process heating associated with thermal energy storage for feed water heating", *Middle - East Journal of Scientific Research*, v-20, i-11, pp:1686-1688, 2014.
- [10] Premkumar, S., Prabhakar, S., Lingeswaran, K., Ramnathan, P., "Development of direct methanol fuel cell and improving the efficiency", *Middle - East Journal of Scientific Research*, v-20, i-10, pp:1277-1280, 2014.
- [11] B.Vamsi Krishna, Significance of TSC on Reactive power Compensation, *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, ISSN (Online): 2278 – 8875, pp 7067-7078, Vol. 3, Issue 2, February 2014
- [12] Mr D.Sridhar raja, Wireless Transmission of Real Time Electrocardiogram (ECG) Signals through Radio Frequency (RF) Waves, *International Journal of P2P Network Trends and Technology (IJPTT)*, ISSN: 2278 – 8875 , pp 793-798, Vol. 2, Issue 2, February 2013.
- [13] E.Kanniga, N. Imocha Singh ,K.Selva Rama Rathnam ,Gated-Demultiplexer Tree Buffer for Low Power Using Clock Tree Based Gated Driver, *International Journal of P2P Network Trends and Technology (IJPTT)*, ISSN (Print) : 2320 – 3765, pp 4652-4659 ,Vol. 2, Issue 10, October 2013