



ISSN (Print) : 2320 – 3765
ISSN (Online): 2278 – 8875

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

Closed Loop Speed Control of Cascaded Multi Cell Trans Z-Source Inverter Fed Induction Motor Drive

Patan Sharuk Khan ¹, Dr. K.Swarna Sri ²

P.G. Student, Department of Electrical Engineering, RVR and JC College of Engineering, Chowdavaram,
Guntur, India¹

Professor, Department of Electrical Engineering, RVR and JC College of Engineering, Chowdavaram, Guntur, India²

ABSTRACT: This paper proposes a new configuration of Z-source Inverter and also the implementation of conventional speed control method for the induction motor drive which is fed through the CMC Trans z-source inverter. Inverters having high-output voltage gain usually face the difficulty of high-input current flowing through their components. The problem can be overcome if the inverters use high frequency magnetic devices like transformers or coupled inductors by maintaining Leakage inductances of these devices must strictly be small to prevent over voltages caused by switching of their winding currents. To nullify these related problems, cascaded trans-Z-source inverters are used. This paper proposes a closed loop speed control of an induction motor fed by a high performance cascaded Trans Z-source inverter (ZSI), the speed control is based on V/F control strategy. Simulations are carried out in MATLAB/Simulink environment. It was observed that using a closed loop scheme with a proportional controller gave a very superior way of controlling the speed of an induction motor while maintaining a constant maximum torque.

KEYWORDS: z-source inverters, cascaded inverters, coupled inductors, high frequency magnetic transformers, induction motor.

I. INTRODUCTION

Z-Source inverter is a single-stage converter performs both buck and boost energy conversions by utilizing LC-impedance network. Among voltage or current type Z-Source inverters, voltage-type Z-Source inverters are popular in motor drives, fuel cell and photovoltaic powered system. Though conventional voltage-source inverter can be used for above mentioned applications their voltage step-down operation makes them to operate at low modulation ratio. Hence results in poor harmonic performances. On the other hand, Z-Source inverters can be implemented with maximum modulation ratio. Any surge in every demand is balanced by varying the Inverter shoot-through time duration for gaining voltage boosting operation done in addition to voltage buck operation taken from conventional voltage source inverter. Many PWM schemes with lower switching loss and optimized harmonic performance have been used for controlling the Z-Source inverters. These schemes are developed by introducing shoot-through states to the conventional VSI state sequences with more states to surface under low load or small inductance conditions.

The added states influence the produced voltage gain. Hence, it's harder to control. For reducing load influence, proper parametric tuning must be done in order to reduce the high-frequency current ripple within the circuit. Though parametric tuning is effective in stabilizing gain, it cannot remove the chopping current flowing in to the DC source and can affect the source characteristics. It is due to the high frequency operation of the input diode 'D' shown in fig.3 during voltage boost operation that can be filtered by placing a second-order LC filter before 'D' which in turn increase the overall cost of the system and produce unwanted dynamic and resonant complexities to the systems. Hence, instead of using an external LC filter, this project proposes an embedded Z-Source inverter where the input DC sources is embedded within the LC impedance net work, using inverter capacitive elements for voltage filtering in current-type



International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

Z-source inverter. Despite these changes, the voltage or current gain of the system is constant. This Z-Source inverter can be used where source filtering is difficult. Nowadays, renewable energy applications are on greater demands, more particularly solar cell. A key component of PV generating system is the grid connected inverter. The transformer-less inverter topologies can be classified into two categories: two stage inverter topologies and single stage inverter topologies. System performance depends on local climate, the orientation and inclination of PV array and inverter performance. The traditional photo electric systems contain VSI and CSI. They are either buck or boost, but not buck-boost converter. The common problem of this topology is that their main circuits cannot be interchangeable and also shoot through will occur when any two switches of the same phase leg is turned on which is a major killer to converter's reliability.

To reduce the cost and to increase the system reliability Z-source inverter as a single stage transformer-less inverter topology is first proposed. By utilizing the unique LC network, a shoot-through zero state can be added to replace the traditional zero state of the inverter and to achieve the output voltage boost function. Hence, Z-source inverter provides a feasible single stage power conversion concept suitable for secondary energy source such as photo electric system as they usually produce low variable DC voltage. Since its proposal, developments related to Z-source inverters have been taking place in various directions, covering its modulation, modelling, control and other topological inventions. But unfortunately, a closer view at the existing network would reveal that it causes chopping current to be drawn from the source, if no explicit hardware filter is added. This chopping current not only raises the semiconductor current rating, but also complicates the maximum power point tracking (MPPT) objective set for most renewable energy sources. Design, model and simulate open loop and closed loop motor powered by solar electric system with implicit source filtering and reduced capacitor sizing

II. TRADITIONAL INVERTERS

Traditional source inverters are Voltage Source Inverter and Current Source Inverter. The input of Voltage Source Inverter is a stiff dc voltage supply, which can be a battery or a controlled rectifier both single phase and three phase voltage source inverter are used in industry. The switching device can be a conventional MOSFET, Thyristor, or a power transistor. Voltage source inverter is one which the dc source has small or negligible impedance. In other words a voltage source inverter has stiff dc source voltage at its input terminals. A current-fed inverter or current source inverter is fed with adjustable dc current source. In current source inverter output current waves are not affected by the load

A. Voltage Source Inverter

When the power requirement is high, three phase inverters are used. When three single phase inverters are connected in parallel, we can get the three phase inverter. The gating signals for the three phase inverters have a phase difference of 120°. These inverters take their dc supply from a battery or from a rectifier and can be called as six step bridge inverter. Fig.1 shows the three phase voltage source inverter. A large capacitor is connected at the input terminals tends to make the input dc voltage constant. This capacitor also suppresses the harmonics fed back to the source. The Voltage Source Inverter (VSI) is widely used

However, it has the some conceptual and theoretical barriers and limitations. The AC output voltage is limited and cannot exceed the AC input voltage. Therefore the Voltage Source Inverter is only buck (step down) inverter operation for DC to AC power conversion or boost (step-up) operation for AC to DC power conversion.

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018




Fig.1. Voltage source inverter




Fig.2. Current source inverter

For applications where over drive is desirable and the available dc voltage is limited, an additional dc-dc boost converter is needed to obtain a desired ac output. The additional power converter stage increases system cost and lowers efficiency. The upper and lower devices of each phase leg cannot be gate on simultaneously either by purpose or by EMI noise. Otherwise a shoot through problem by Electromagnetic interference noise's misgating on is major killer to the inverter reliability. Dead time to block both upper and lower devices has to provide in the Voltage Source Inverter which causes the wave form distortion, etc

B. Current source inverter

A Current Source Inverter (CSI) is fed from a constant current source. Therefore load current remains constant irrespective of the load on the inverter. The load voltage changes as per the magnitude of load impedance. When a voltage source has a large inductance in series with it, it behaves as a Current Source .The large inductance maintains the current constant. The traditional three phase Current Source Inverter (CSI) structure is shown in Fig.2.

A dc current source feeds the three phase main inverter circuit. The dc current source can be a relatively large dc inductor fed by a Voltage Source such as a battery or a rectifier It consists of six switches and with antiparallel diodes. This diode provides the bidirectional current flow and unidirectional voltage blocking capability

C. Z-source inverter

It employs a unique impedance network (or circuit) to couple the converter main circuit to the power source, load, or another converter, for providing unique features that cannot be observed in the traditional V-and I-source converters where a capacitor and inductor are used respectively. A two-port network that consists of a split-inductor and capacitors and connected in X shape is employed to provide an impedance source (Z-source) coupling the converter (or inverter) to the dc source to load, or another converter. The dc source or load can be either a voltage or a current source or load. Therefore, the dc source can be a battery, diode, rectifier, thyristor converter, fuel cell, an inductor, a capacitor, or a combination of those. Switches used in the converter can be a combination of switching devices and diodes such as the anti parallel combination.

Even though, Z source inverter is better than traditional inverters, there are some disadvantages present in Z-Source impedance network.

1. In Z-source inverter, inductances cause over voltages during switches commutation. Hence high rating of switches is needed in Z-source inverters design.
2. In some applications the efficiency of Z-source inverter lower than conventional two stage buck-boost systems.
3. In some applications Z-source inverter produces discontinuous input current and high values of di/dt due to that LC filter is needed in input side.

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018




Fig.3.Z Source Inverter

D. Z Source Current-Type Inverters:

Traditionally, current source inverters (CSI) have been adopted for use in medium and high power industry applications. These inverters, however, support only current buck dc-ac power conversion and need a relatively complex modulator, as compared to conventional voltage source inverters (VSI). To address these limitations, this paper presents an integration of the buck-boost Z-source power conversion concept to the CSI topology to develop single- and three-phase Z-source CSI. For their efficient control, and evaluates different carrier-based reference formulations to identify different inverter state placement possibilities. The project then proceeds to design appropriate “reference-to-switch” assignments or logic equations for mapping out the correct CSI gating signals, allowing a simple carrier-based modulator to control a Z-source CSI with complications such as commutation difficulties and “many-to-many” state assignments readily resolved.

III. TRANS Z SOURCE INVERTER

It is similar to Z Source except the use of high frequency low leakage inductance transformer and one capacitance. It has low reactive components in compare with conventional ZSI. Due to this, the efficiency appreciably increases. The TZSI topology requires a very low leakage inductance transformer which should be made with high precision. In such a way, the number of passive elements is reduced because only the transformer and the capacitor are needed. As compare with quasi Z source inverters, the TZSI topology features a common dc rail between the source and inverter, which is unlike traditional ZSI circuits. Moreover, use of a transformer with other than a 1:1 transformer ratio allows for a change of output voltage Z source converters, as contrasted with the voltage resulting from the shoot-through index or the modulation index

Operation of Trans Z Source inverter:

The Voltage source type Trans-Z-source inverter (TZSI) of possible two structures are shown in Fig.4(a) and 4 (b). The operating principle of TZSI similar to ZSI has equivalence of fig.5 (a) is considered with its operating states shown in Fig.5 (a) and (b)




Fig.4




Fig.5

Fig.4. Trans-z-source inverters with source placed in series with either (a) Diode (b) VSI bridge

Fig.5. Equivalent circuits of CMC Trans ZSI in a.shoot-through b.non shoot through

Like basic Z source inverter it has the three operating states.



International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

1. Active state
2. Conventional Zero state (Null state)
3. Shoot through state.

The operation of the active state is remains as normal inverter bridge operation which gives the switching state by space vector modulation technique. Thus, we go directly for Shoot through state. We use the Zero state to implement the shoot through state. In the shoot-through state, the trans-Z-source inverter has two of its switches from the same phase leg turned ON to imitate the boost switch found in a classical dc–dc boost converter. Simultaneously, input diode D reverse biases to form an open circuit. Voltages V_{W1} and V_{W2} across the coupled windings W1 and W2 can then be written as

$$v_{W1} = V_C, v_{W2} = \gamma_2 v_{W1} \dots (1) \quad v_{W1} = \frac{v_{W1}}{\gamma_2}; v_{W2} = V_{dc} - V_C \dots (2)$$

Where V_C represents voltage across the capacitor and γ_2 represents turns ratio of W2 to W1. Since winding voltages per switching period will average to zero, equation (1) and (2) can be combined as

$$d_{ST}V_C + (1 - d_{ST})(V_{dc} - V_C)/\gamma_2 \dots (3)$$

Where D_{st} is the fractional time during which the inverter is in its shoot-through state. This time is usually kept constant to avoid introducing low-order ripple to the inverter voltages and currents

Simplifying the above equations then

$$v_c = \frac{V_{dc}(1-D_{st})}{(1-(\gamma_2+1)D_{st})} \dots (4)$$

In the non-shoot-through state, the dc-link voltage applied to the load when in an active state is written as

$$\hat{v}_i = V_C - V_{W1}$$

Upon substituted by (2) and (4), \hat{v}_i becomes

$$\hat{v}_i = \frac{V_{dc}}{(1 - (\gamma_2 + 1)D_{st})} \dots (5)$$

When modulated appropriately, this dc-link voltage gives rise to the following peak ac amplitude \hat{v}_{ac}

$$V_{ac} = \frac{M \hat{v}_i}{2} = \frac{0.5M V_{dc}}{(1 - (\gamma_2 + 1)D_{st})} \dots (6)$$

Where M represents the inverter modulation index. The denominator of equation (6) must clearly be greater than zero, and as understood from the shoot-through state can only replace the traditional null state. Because of these two restrictions, D_{st} and M are constrained by the following inequalities

$$D_{st} < 1/(\gamma_2 + 1) \quad ; \quad M \leq 1.15(1 - D_{st}) \dots (7)$$

The demanded voltage gain can clearly be raised by increasing D_{st} or γ_2 . The former means lowering M , which generally is not preferred since it leads to poor dc-link utilization and hence unnecessarily high-voltage stresses across

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

the components. Increasing γ_2 is therefore a better alternative if the transformer can be designed accordingly, while yet maintaining excellent coupling. The same averaging process can be applied to the second trans-Z-source circuit drawn in Fig. 3.1(b) with the same voltage expressions in (5) and (6) produced. Its different source placement mainly leads to a lower capacitor voltage written as

$$V_c = \frac{V_{dc} D_{st} \gamma_2}{(1 - (\gamma_2 + 1) D_{st})} \dots \dots (8)$$

The main difficulty of single module with high power rating source (load), its source is in series with the lower voltage winding W1, the circuit in Fig.4 (b) unfortunately experiences a higher instantaneous source current. Such high current is caused by the sudden transfer of energy from W2 to W1 when the input diode D reverse biased. A simple way to resolve it is to connect multiple capacitors and windings in parallel which, unlike series connection, will not overly complicate the circuit operation.

IV. CASCADE MULTI CELL (CMC) TRANS Z SOURCE INVERTER

An alternative way of realizing the trans-Z-source inverter with high gain is shown in Fig.6 Instead of a transformer with high turns ratio as in Fig. 4, multiple smaller transformers with lower turns ratios are used. Their W1 windings are connected in parallel to share the extreme high instantaneous current stress, while their W2 windings are connected in series to withstand the higher voltage demanded. Turns ratios of these smaller transformers should be chosen based on available core and wire sizes that can more readily produce better coupling. At times, layout and packaging of the application considered might also have a role in deciding the transformer sizes. To avoid direct series connection, an alternate cascading technique is discussed after describing the generic trans-Z-source cell shown in Fig.7.




Fig.6

Fig.6. Trans z source inverter realized with multiple transformers with lower turn ratios




Fig.7

Fig.7. Generic trans-Z-source cell

Moreover, it is intentionally drawn with an X-shaped structure that resembles the original Z-source network. With this cell, the alternate cascading technique can be performed based on the following few steps:

1. Begin with cell 1 with its windings labelled as W11 and W2
2. Duplicate a copy of cell 1, and name it as cell 2. Windings of cell 2 are labelled as W 12 and W 3 with their turns ratio marked as γ_3
3. Flip cell 2 vertically and place it below cell 1
4. merge cell 1 and cell 2 with W2 of cell 1 replacing W 12 of cell 2
5. Shift W 12 of cell 2 to be in parallel with W 11 of cell 1
6. Duplicate cell k with windings W 1k and W (k + 1), and turns ratio γ_{k+1}
7. Repeat the flipping and merging until all N cells are cascaded (until k = N).

The resulting CMC trans-Z-source inverter is shown in Fig.8 which clearly does not have any direct series connection. No balancing resistors and losses are therefore needed, meaning that the inverter in Fig. 6 is likely more efficient than the direct series-connected circuit shown in Fig. 4. The CMC inverter would however still require parallel connections

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

of windings $W1_k$ ($k = 1$ to N) and capacitors (not shown in Fig.8 for clarity) to manage the flow of high instantaneous current during shoot through. Such parallel connections will not be a concern in practice, unlike series connections. Corresponding gain expressions for the CMC inverter can then be determined by analysing the shoot-through and non-shoot-through states separately, before averaging them to arrive at the final expressions.




Fig.8. CMC trans-Z-source inverter

The governing winding equations are

$$V_{w1} = \sum_{\sigma=1}^N V_{c\sigma} + V''_{dc}$$

$$V_{w(k+1)} = \gamma_{k+1} V_{w1} \dots \dots \dots (9)$$

Their correspondences when in the non-shoot through state with all diodes conducting can be written as (during non-shoot through state of CMC Trans ZSI).

$$V_{w1} = V_{w(k+1)} / \gamma_{k+1}$$

$$V_{w(k+1)} = V'_{dc(k)} - V_{ck} \dots \dots \dots (10)$$

Averaging (9) and (10) for each winding then gives

$$V_{ck} = \gamma_{k+1} D_{st} \frac{V'_{dc} + V''_{dc}}{(1 - (\gamma T + 1) D_{st})} + V'_{dc(k)}$$

$$\gamma T = \sum_{\sigma=1}^N \gamma_{\sigma+1}$$

$$V_{dc} = \sum_{\sigma=1}^N V'_{dc(k)} \dots \dots \dots (11)$$

Considering the non shoot through state ,the peak dc-link voltage and peak ac voltage amplitude can be written as

$$\hat{V}_i = \frac{V'_{dc} + V''_{dc}}{(1 - (\gamma T + 1) D_{st})}$$



International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018

$$V_{ac} = \frac{M \hat{V}_i}{2} = \frac{0.5M(V'_{dc} + V''_{dc})}{(1 - (\gamma_T + 1)D_{st})}$$

$$D_{st} < 1/(\gamma_T + 1) ; \quad M \leq 1.15(1 - D_{st}) \dots \dots (12)$$

Note again that Fig.8 is a generic representation of the CMC trans-Z-source inverter with all possible source locations shown. These sources can be set to zero, where desired, with only one of them needed to be nonzero for powering the inverter. Considered as an example $V'_{dc}(1) = \dots = V'_{dc}(N) = 0$ and $V''_{dc} \neq 0$, \hat{v}_i in (12) then simplifies to equation (6) except with γ_T replacing γ_2

V. ELECTRICAL DRIVE IMPLEMENTATION WITH TRANS Z- SOURCE INVERTER

Input to the Trans z-source inverter is obtained from the solar cell, the ripple in the output voltage of the solar cell is filtered using the z-filter. Pure dc is given to the three phase inverter. The inverter converts DC into three phase balanced AC. The output of the trans z-source inverter is to control the harmonics present in the load. The proposed z-source inverters are therefore competitive alternatives that can be used for different cases where source filtering is critical.




Fig.9. Block diagram of Drive system

VI. SIMULATION AND RESULTS

This paper implemented with the simple boost control technique for the pulse control of the CMC Trans Z source inverter bridge circuit. This also driven with one of the conventional speed control method, v/f control for the induction motor load. The execution of CMC Trans Z-source inverter is carried for $V_{dc}=160v$, coupled transformer with winding inductances as $L=160mH$ and capacitance of $C = 680\mu F$ and operating circuit at 5KHz carrier frequency w.r.t reference of 50Hz.

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018




Fig.10.V/F Control Implementation CMC Trans ZSI




FIG.11.Three Phase Line Currents



International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijareeie.com

Vol. 7, Issue 5, May 2018




Fig.12.motor speed and torque




Fig.13.FFT analysis of load line current

VII. CONCLUSION

From the results of cascaded multi cell trans z source inverter implemented by using simple boost control and with v/f control of motor load, we can conclude that speed of the motor load get faster steady state compare to without v/f control and also than that of the normal z source inverter, CMC trans z source inverter has the sharp reduced stress of starting transient currents to load and also has less dc link voltage stress at the inverter bridge gives the better performance over the normal z source inverter. Also the circuit has number of cells cascaded to perform the desired operation of speed control and the speed is reliable in operation of control. Now a days, there is wide range of implementation of solar power panels which produces DC voltage by the result of photovoltaic effect and these are arranged in such a manner that they connected in series and parallel combination to get desired voltage and current ratings. Here, we can implement the cascaded multi cell Tran's z source inverter which can be implemented with number of panels cascade and can get the high and desired power ratings of grid connection or to the load. This contains multiple number of cells which can be disconnected and reconnected to get the desired performance of load

REFERENCES

- [1] Z. Peng, "Z-source inverter," IEEE Trans. Ind. Appl., vol. 39, no. 2, pp. 504-510, Mar./Apr. 2003.
- [2] F. Z. Peng, A. Joseph, J. Wang, M. Shen, L. Chen, Z. Pan, E. O. Rivera, and Y. Huang, "Z-source inverter for motor drives," IEEE Trans. Power Electron., vol. 20, no. 4, pp. 857-863, Jul. 2005
- [3] B. Y. Husodo, M. Anwari, and S. M. Ayob, "Analysis and Simulations of Z-Source Inverter Control Methods", IEEE Transactions on Industry Applications, vol. 42, pp. 770 – 778, May-Jun 2006
- [4] P. C. Loh, D. M. Vilathgamuwa, Y. S. Lai, G. T. Chua, and Y. Li, "Pulse-width modulation of Z-source inverters," IEEE Trans. Power Electron., vol. 20, no. 6, pp. 1346-1355, Nov. 2005
- [5] Inverters" IEEE Transactions on Industrial Electronics. Vol.-57, No.-7, Page: 2483-2491, 2010.
- [6] PohChaiangLoh, D. MahindaVilathgamuwa, YueSen Lai Geok Tin Chua and YunweiLi, "Pulse-Width Modulation of Z-source inverters", in IEEE Conference on Industry Applications, vol. 1, no. 39, 3-7 Oct. 2004, pp. 148-155
- [7] Y. Huang, M. S. Shen, F. Z. Peng and J. Wang, "Z-source Inverter for Residential Photovoltaic System", IEEE Trans. Power Electronics, vol. 21, no. 6, pp. 1776-1782, Nov. 2006
- [8] W. Qian, F. Z. Peng, and H. Cha, "Trans-Z-source inverters," IEEE Trans. Power Electron., vol. 26, no. 12, pp. 3453-3463, Dec. 2011.
- [9] Omar Ellabban, Joeri Van Mierlo and Philippe Lataire, "Comparison between Different PWM Control Methods for Different Z-Source Inverter Topologies" IEEE Transactions on industry application, May/June 2010