



e-ISSN: 2278-8875
p-ISSN: 2320-3765

International Journal of Advanced Research

in Electrical, Electronics and Instrumentation Engineering

Volume 14, Issue 12, December 2025

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.807

☎ 9940 572 462

☎ 6381 907 438

✉ ijareeie@gmail.com

@ www.ijareeie.com



Smart Grid Technology and its Significance in Future

Dr. Somashekhar Swamy¹, Ashwini Sargar², Rupali Jadhavar³, Shivraj Vinchure⁴, Shlok Joshi⁵

HOD (EE), V.V.P. Institute of Engineering & Technology, Solapur, Maharashtra, India¹

B. Tech. (EE) Third year students, V.V.P. Institute of Engineering & Technology, Solapur, Maharashtra, India^{2,3,4,5}

ABSTRACT: A Smart Grid is an electrical energy system based on digital information in order that is employed en route for affords electrical energy to customers in the course of two-way digital communiqué. This arrangement authorizes for monitoring, investigation, manage and communiqué inside the supply chain to support and get superior efficiency, diminish the energy utilization together with minimal price of energy with utilization of the intelligibility along with consistency of the energy provider sequence. In this paper, we will present the importance of the word "smart grid," its advantages, amid the various expertise used in it. The traditional electrical power system has been re-established with the smart grid. The smart grids make use of smart charging planning with renewable energy resources. In the present era the universe has seen the successful coming out of smart grid as a tool for providing electrical energy at the minimal price along with superior prominence.

KEYWORDS: Smart Grid, SCADA, AMR, Load forecasting.

I. INTRODUCTION

The increasing anxiety concerning climate change and energy conservation needs the present power grid to be renovated. Accordingly, bi-directional communication network is positioned atop the existing power grid, called as smart grid, with a goal to decrease the energy loss and to give better energy management. accordingly, smart grid needs help of superior computing platform and data management tools to deal with real-time energy needs and to process real-time information, respectively Smart grid is amalgamation of an electrical power system, communication system, sophisticated Sensing, metering, measurement infrastructure, absolute outcome support along with human being interfaces software with hardware to supervise, manage and run the formation, allocation, storage as well as utilization of power[1]. The regions of utilization of smart grids comprise: smart meters combination, demand organization, smart incorporation of produced power, and organization of storage with renewable resources, with systems that constantly offer as well as employ information from an energy network. A Smart Grid is an electrical energy set-up that can smartly amalgamate the acts of every consumers associated with it – generators, end users as well as those that do together – so as to competently distribute consistent, cost-effective as well as safe energy provisions [2]. Three leading features are influencing the prospect electrical systems of the universe; government strategy, effectiveness requirement of the customer, with the preface of innovative intellectual computer as well as hardware expertise. Additionally, environmental anxieties have crafted administration strategy about the globe, together with the central and state levels, which are motivating the complete energy system to effectiveness, preservation, as well as renewable sources of electricity. These aspects are the most important drivers that are developing the application of every kind of new renewable energy in addition to storage systems on the one hand and novel energy effectiveness with preservation methods on the other. Customers are flattering further practical also are being authorized to connect in the energy utilization results influencing their everyday surviving [3]. At the same case, they are extending their energy obligations. For instance, consumer contribution determination ultimately consist of widespread application of electric vehicles (both cars and trucks), remote control of in-home electrical device to encourage energy preservation, possession of allocated generation from ever more renewable energy sources, and organization of energy storage to in the neighborhood match contribution to demand. The accessibility of novel technology such as more profuse and aware SCADA sensors, protected 2-way communications, integrated information administration, and intelligent, autonomous controllers have opened up opportunities that did not exist even a decade ago[6]. The electric energy system of the future needs to address all these needs and concerns by using advanced technologies to create a smarter, more efficient and sustainable grid [8]. During recent years, there have been numerous articles and conferences about the Smart Grid, however much uncertainty stays amid every constituency regarding just what the tenure entails. Although numerous different definitions have been suggested for the Smart Grid, in most cases the customers have chosen predominantly centered definitions narrated to their precise purposes and neighborhood requirements. This paper is presented in four segments in addition to introduction. Segment 2 gives traditional electrical energy system, Segment 3 presents future smart Electric Energy system, and finally segment 4 presents the conclusion.



II. THE TRADITIONAL ELECTRICAL ENERGY SYSTEM

A common depiction of nowadays traditional energy deliverance method is shown in figure 1. Conventionally the method is busted into generally isolated parts generation, transmission, substation, distribution, and the consumer. Important features of this traditional scheme that will be most burly influenced by the transforms needed to realize the Smart Grid are the subsequent characteristics:

- a. Central sources of power production,
- b. Unidirectional flow of energy; from the source to the consumers,
- c. Inactive contribution by the customers; customer awareness of electrical energy utilization is restricted to a monthly bill received, following the information, at the ending of the month,
- d. Real-time supervising as well as manage is chiefly limited to production as well as transmission, and only at a few utilities, does it expand to the distribution system,
- e. The system is not flexible consequently that it is complicated to either inject electricity from substitute sources at some point alongside the grid, or to competently as well as sustainably supervise latest services needed by the consumers of energy.




Figure1. Conventional Electric Energy System

These conventional attributes have adequately served the needs of electric utilities and their customers in the past [10]. However, the new needs of more energy knowledgeable, computer savvy, and environmentally conscious consumers, combined with regulatory changes that promote sustainability and energy independence from foreign sources, availability of more intelligent technologies, and ever greater demands for enough energy to drive the global economy, require an electric energy system of the future that is fundamentally different in all 5 areas listed above. Figure1 illustrates the conventional Electric Energy System.

III. THE FUTURE SMART ELECTRIC ENERGY SCHEME

A common diagram of the future electric energy scheme, or Smart Grid, is shown in figure2. The chief prerequisites of this scheme will concentrate on the subsequent revolution purposes [12]:

- Permit for the amalgamation of renewable energy resources to tackle worldwide environment alteration,
- Permit for dynamic consumer contribution to facilitate for superior power preservation,
- Permit for cyber-secure communications methods to tackle structure security,
- Permit for superior exploitation of accessible advantages to deal with elongated period sustainability,
- Permit for optimized power flow to condense losses and reduce the price power
- Permit for the amalgamation of electric vehicles to diminish reliance on hydrocarbon fuels,
- Permit for the organization of distributed production and energy storage to eradicate or suspend



organization extension to shrink on the whole cost of power,

- Permit for the amalgamation of communication and control across the energy scheme to encourage interoperability and open schemes also to augment security with equipped flexibility.



Figure2.TheSmart Grid

It should be noted that the Smart Grid, while portrayed above, does not reinstate the present energy scheme although relatively erects on the existing infrastructure to augment the exploitation of present advantages also to authorize the execution of the innovative utility. Such as, central resources of production will still take part in a foremost part in the Smart Grid, also large-scale wind and solar production, anywhere expenditure warranted, will become major parts of the generation mix. Accessibility of a 2-way, cyber-secure, end-to-end communications scheme will afford customers amid the awareness of their energy utilization obligatory to let them to in the vicinity and/or remotely controls their smart appliances and temperature settings. Monitoring and control of the electric scheme elements will offer the effectiveness through the instantaneous standing of the system [13]. The exercise of this instantaneous information, collective with incorporated scheme replicating with influential innovative analytical devices and methods, will offer the recognition of early breakdowns to facilitate constrain precautionary protection with active exertion administration schemes. Routine redesign of the scheme, powered with complicated, adaptive with sovereign optimization controllers will preserve the flow of energy with no stoppage when equipment breakdowns do take place. Disseminated production and storage resources and distantly controlled equipment will as well contribute an imperative part in the administration of the Smart Grid energy scheme not merely to tackle emergency call for but also to optimize power flow, eradicate load pockets, also curtail structure losses. It should be noted that constructing the Smart Grid, as predicted at this juncture, will be extremely expensive also will necessitate a prolonged execution progression that progresses over decades [14]. Table1 presents the contrast of conventional grid and smart grid

Table1: contrast of conventional grid and smart grid

Sl.No.	Smart Grid	Conventional Grid
1	Smart grid is self-healing	Conventional grid requires manual reinstallation
2	Smart grid uses digital technique	Conventional grid uses electro mechanical technique.
3	Smart grid has invasive Control	Conventional grid has restricted control
4	Smart grid has two-way communiqué	Conventional grid has only one-way communiqué
5	Smart grid has distributed production	Conventional grid has centralized production



6	Smart grid has network	Conventional grid is hierarchical
7	Smart grid uses sensors all over	Conventional grid uses a very few sensors
8	Smart grid has distant check/test	Conventional grid has physical check/test
9	Smart grid is self-monitoring	Conventional grid is blind
10	Smart grid has a lot of consumer options	Conventional grid has not many consumer options
11	Smart grid has extensive real time monitoring	Conventional grid has lack of real time monitoring
12	Smart grid has exceptionally swift reaction time	Conventional grid has sluggish reaction time
13	Smart grid has energy storage facility	Conventional grid has no energy storage facility
14	Smart grid has superior customer participation	Conventional grid has total control by utility

In a distinctive smart grid, central management administers every appliance linked to it; confirm that every appliance is operating as proficiently as realistic. The central administration not only reviews for superior energy administration inside the building but also supports in dropping the utilization of power in peak hours. Substantial power is put aside as an outcome. A smart grid also makes probable the exchange from fossil fuel to renewable energy [18]. If a competence has a source of renewable energy, the grid invents it effortlessly to incorporate that source into the grid. Greater use of tremendously volatile renewable energy sources, for example wind and solar energy, is made realistic by smart grid. The term "smart grid" as well portrays a group of techniques being exploited to manage a organization in a mode that power is distributed, together with automation and computer-based distant control. These planning are made realistic through computer processing that has been employed pro decades in other industries and two-way digital communications technology. They are preparatory to be employed on the networks that transmit electricity, from the generators and wind farms to the customers who utilize it in their houses and places of business etc. This arrangement offers a variety of benefits to Utilities and consumers, most noteworthy benefit is increase in energy reliability and efficie ncy in homes and workplaces as well as on the power grid. Figure3 illustrates the power infrastructure [16].




Figure 3-Power infrastructure

3.1 Present Smart Grid Projects

A smart grid is far more consistent than a conventional grid and can shrink greenhouse gas emanations by about 211 million metric tonnes. This is what persuades investors to put in in this progressive technology. Figure4 illustrates the two ways flow of Electricity and Information.




Figure4-Two way flow of Electricity and Information

Around 150 smart grid technology dealings are considered to be there globally, with the US accounting for 77.4% of them. The top 25 smart grid provider's collective market asset is presently \$2.03 trillion.

3.2 Future Smart Grid

Figure5 illustrates the Future Smart Grid. Machine learning, plug-and-play technologies, a self-healing grid, and entire grid computerization will be the foremost areas of study. The method will obligate customers to cut their energy exploitation by 5% to 10% by proposing them real-time information on their exploitation. In relative to investigate, consumers are more credible to receive the indispensable footsteps to diminish their energy utilization when they are entirely cognizant of how much energy they are using. The total amount of energy accumulated as a outcome of smart grid technology is developed to accomplish \$42 billion after one year. The yearly savings will augment to \$48 billion in five years The savings will enlarge to \$65 billion in 15 years and \$102 billion in 30 years [19]. Under the shore up of the "Smart Grid," distribution grid instigated a imperative expertise and investigate program to tackle few of the subsequent concerns in order to realize the future power need of the next generation of electric power:

- Large decline in residential peak demand energy exploit were made feasible with delivering real-time billing as well as ecological signals in amalgamation with progressive in-home appliances.
- Incorporation of green energy production from both private consumers and second-tier operators to cut the carbon effect. accordingly, this energy source will contribute a significant component in the development of the Smart Grid.
- Electric vehicles are as well believed as exceptionally imperative future components since they have the prospective to persuade exploitation peaks whilst as well serving as energy buffers to structure for any misplaced energy at some phase in these peaks.
- Compose an open infrastructure that will create it simple for learners to amalgamate, comparable to how the mobile cellular marketplace has been deregulated.
- The prerequisite of scalable as well as superior real-time quantity and control technologies for the energy grid [20].




Figure 5- Future Smart Grid

3.4 Distribution System in Smart Grid



Figure 6- Distribution system

Figure6 illustrates the Distribution system. Distribution system is the word used to describe the portion of the Smart Grid that describes to the effectiveness distribution system, principally the wires, switches, and transformers that unite the effectiveness substation to the customer. The power distribution scheme has wireless mesh networking and fiber-optic communication, and one of its components is the power lines that cross people's backyards [22].

3.5 Benefits of Smart Grid :-

Following are the few significant benefits of smart grid [23]

1. Develops the quality and reliability of power.
2. Better-quality, faster delivery and demand balancing.
3. Reducing the requirement for backup (Peak Load) power plant erection.
4. Escalating Self-Healing ability with flexibility to disturbance.
5. Growing the exploitation of scattered and Renewable Energy Sources.
6. Diminishes the carbon dioxide emanations.



IV. CONCLUSION

Major goal of the Smart Grid is to enhance our capability to utilize more, but cheaper, electricity to power the developments in the standard-of-living of all people on the globe. Though, the changeover must be cost effective, or we will not at all get there from here. The tracking of major performance metrics that incessantly and repeatedly score progression produced by the Smart Grid will be needed if the attempt is sustainable over the 20to30 years that will be needed for a full translation to a comprehensive Smart Grid in any country. Documenting these advancements needs the setting up of an initial reference line for every main components of the present grid, and then incessant measurement of the influence of innovative construction and execution against that reference line. It is anticipated that eventually the Smart Grid will get better the capacity factor of the electric system through most excellent promising supply and demand management. It allows for the reprocess of present hardware infrastructure in a more competent way by adjoining new controller intelligence to the present system. Confronts to the future accomplishment of the smart grid come from several fronts, such as consumer buy-in: consumers have to perceive genuine savings and efficiency enhancements; superior regulation: governmental control must stay with advanced technology and in contact with consumers; cost justification; Smart Grid components must be independently as well as efficiently cost effective; education: utilities, service companies and universities must create educated consumers with a latest generation of electrical engineer savvy in computer sciences and systems engineering; and novel innovations and technologies must be effortlessly adopted and adapted.

REFERENCES


- [1].Mahmood, A., M. Aamir, and M.Anis, Design and Implementation of AMR Smart Grid System, 2008IEEE Electrical Power& EnergyConference, 2008.
- [2]. Garrity, T., Innovation and Trends for Future Electric Power Systems, IEEE Power and Energy, 38-45, March-April.
- [3]. Katz,J., Educating the Smart Grid,IEEEEnergy2030,2008.
- [4]. Tsoukalas, L., and R. Gao, From Smart Grids to an Energy Internet Assumptions, Architectures and Requirements, IEEE DRPT Conference, April,2008.
- [5]. Steinberger, J., J. Van Niel, D. Bourg, Profiting from Nega watts: Reducing absolute consumption and emissions through a performance-based energy economy, in Elsevier, Energy Policy, 2009.
- [6]. Pipattanasomporn A.,and A. Rahman, Multi-Agent Systems in a Distributed Smart Grid: Design and Implementation, Proc. IEEE PES 2009Power Systems Conference and Exposition, Mar. 2009.
- [7]. Liu, X., and Su, B., Micro grids - An Integration of Renewable Energy Technologies, in Protection, Control, Communication and Automation of Distribution Networks, S3-25,CT 1800, CICED, 2008.
- [8]. Dr.Somashekhar swamy, Dr. Sanjeev C. Mhamane, Jitesh Roman, Parkhe B.A. “Role of Renewable Energy in Agriculture Sector” *International Journal of Research and Analytical Reviews, UGC CARE JOURNAL*, Volume12, Issue 1, February 2025, Pp.344-348,. (E-ISSN 2348-1269, P- ISSN 2349-5138).
- [9]. Dicorato, M., G. Forte, and M Trovato, A procedure for evaluating technical and economic feasibility issues of Micro Grids, IEEE Bucharest Power Tech Conference, 2009.
- [10]. Jiang, Z., Power Management of Hybrid Photo voltaic - Fuel Cell Power Systems, IEEE paper 1-4244-0493-2, 2006.
- [11]. Chowdhury, A., and D. Koval, Impact of PV Power Sources on a Power System’s Capacity reliability Levels, IEEE I&CPS-05-4, 2005.
- [12].Swider, D., Compressed Air Energy Storage in an Electricity System, with Significant Wind Power Generation, IEEE Trans of Energy Conversion, v.22,no.1,95-102,2007.
- [13]. Dr.Somashekhar swamy, Sanjeev C. Mhamane, Jitesh Roman “Energy sustainability with Net Zero Energy Building” Paper presented in the 5th International conference on “Advanced Technologies for Societal Applications: Techno-Societal 2024 on 13-14th December 2024at S.V.E.R..I, Pandharpur.
- [14]. Anderson, R., Texas Wind Energy Plan, Railroad Commission of Texas Report to the Texas Energy Planning Council, July 24, 2004.
- [15]. Lerch,E., Storage of Fluctuating Wind Storage: Cse for Compressed Air Energy Storage in Germany, IEEE, 2008.
- [16]. Smalley, R., Our Energy Challenge, at <http://video.google.com/videoplay?docid=-4626573768558163231#>
- [17]. Anderson, R., and A. Boulanger, Innervated Stochastic Controller For Real Time Business Decision-Making Support, United States Letters Patent,Number 7,395,252, (2009).
- [18]. Dr.Somashekhar swamy, Sanjeev C. Mhamane, Jitesh Roman “Contribution of Net Zero Energy Building in Energy Security” *Journal of Systems Engineering and Electronics*”, *UGC CARE-II JOURNAL*, Volume 34, Issue 5, May 2024, Pp.238-244, ISSN:1671-1793.



|| Volume 14, Issue 12, December 2025 ||

| DOI:10.15662/IJAREEIE.2025.1412018 |

- [19]. Chuang, J., and M. McGranaghan, Functions of a Local Controller to Coordinate Distributed Resources in a Smart Grid Angela Chuang, IEEE,2008.
- [20].Ernst, D., M Gravic, F. Capitanescu, and L. Wehenkel, Reinforcement Learning Versus Model Predictive Control: A Comparison on a Power System Problem, IEEE Transactions On Systems, Man, And Cybernetics— Part B: Cybernetics, Vol. 39, No. 2, April 2008.
- [21]. Rudin, C., et al, Machine Learning for the New York City Power1 Grid, IEEE Proceedings, Special Issue on the Smart Grid, 2011.
- [22]. Dr.Somashekhar swamy, Sanjeev C. Mhamane, Jitesh Roman “IoT applications in Healthcare” *Journal of Technology, UGC CARE-II JOURNAL*, Volume 12, Issue 2, February 2024, Pp.123-131, ISSN:10123407.
- [23]. McDonald, J., Leader or Follower: Developing the Smart Grid Business Case, IEEE Power &Energy, p. 18-24, Nov-Dec, 2008, V. 3, Issue 4, p. 180-211, 1999.



INNO  SPACE
SJIF Scientific Journal Impact Factor

 **doi**[®]
cross **ref**

 **INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA**



International Journal of Advanced Research

in Electrical, Electronics and Instrumentation Engineering

 9940 572 462  6381 907 438  ijareeie@gmail.com



www.ijareeie.com

Scan to save the contact details